

SAFETY DATA SHEET

According to Regulation (EC) No.1907/2006

HARP® 290, Propane

Version: CLP03

Date: Jan 2018

Page 1 of 6

1. Identification of the substance / preparation and company / undertaking

Product name	Propane, R290
Chemical formula	C3H8
REACH registration number	01-2119486944-21
Company	Harp International Ltd Gellihirion Industrial Estate Pontypridd Rhondda Cynon Taff CF37 5SX Tel: +44 (0) 1443 842255 Fax: +44 (0) 1443 841805 Email: harp@harpintl.com
Emergency phone number	+44 (0) 1270 502891 (24 hour)
Use	Refrigerant

2. Hazards identification

EC Classification of the substance or mixture

Hazard Class & category code:

Regulation (EC) No. 1272/2008 (CLP):

- Physical hazards Flammable gases - Category 1 - Danger (H220)
Gases under pressure - Liquefied gas -Warning (H280)

Label Elements

Labelling Regulation EC 1272/2008 (CLP)

- Hazard pictogram(s)



GHS02



GHS04

- Hazard pictograms code** GHS02 - GHS04.
- Signal word** Danger
- Hazard statements** H220 : Extremely flammable gas
H280 : Contains gas under pressure; may explode if heated.
- Precautionary statements**
 - Prevention** P210 : Keep away from heat/sparks/open flames/hot surfaces - No smoking.
 - Response** P377 : Leaking gas fire : Do not extinguish unless leak can be stopped safely.
P381 : Eliminate all ignition sources if safe to do so.
 - Storage** P403 : Store in a well ventilated place.

SAFETY DATA SHEET

According to Regulation (EC) No.1907/2006


HARP
INTERNATIONAL

HARP® 290, Propane

Version: CLP03

Date: Jan 2018

Page 2 of 6

3. Composition / information on ingredients

Substance / Preparation

Chemical name of substance

Chemical formula

Substance

Propane

C3H8

Substance name	Contents	CAS no.	EC No	Index no.	Registration no.	Classification
Propane	100%	74-98-6	200-827-2	601-004-00-0	01-2119486944-21	Flam. Gas 1 (H220) Liq. Gas (H280)

Contains no other components or impurities which will influence the classification of the product

4. First aid measures



The first aid advice given for skin contact, eye contact and ingestion is applicable following exposures to the liquid or spray. Also see section 11.

Inhalation

Remove patient from exposure, keep warm and at rest. Administer oxygen if necessary. Apply artificial respiration if breathing has ceased or shows signs of failing. In the event of cardiac arrest apply external cardiac massage. Obtain immediate medical attention.

Skin contact

Thaw affected areas with water. Remove contaminated clothing. Caution: clothing may adhere to the skin in the case of freeze burns. After contact with skin, wash immediately with plenty of warm water. If irritation or blistering occur, obtain medical attention.

Eye contact

Immediately irrigate with eyewash solution or clean water, holding the eyelids apart for at least 15 minutes. Obtain immediate medical attention.

Ingestion

Unlikely route of exposure. Do not induce vomiting. Provided the patient is conscious, wash out mouth with water and give 200-300ml (half a pint) of water to drink. Obtain immediate medical attention.

5. Fire-fighting measures

Specific hazards

Exposure to fire may cause containers to rupture/explode.

Hazardous combustion products

Incomplete combustion may form carbon monoxide.

Extinguishing media

-Suitable extinguishing media

Specific methods

All known extinguishants can be used.

If possible, stop flow of product.

Move away from the container and cool with water from a protected position.

Do not extinguish a leaking gas flame unless absolutely necessary. Spontaneous/explosive re-ignition may occur. Extinguish any other fire.

Special protective equipment for fire fighters

In confined space use self-contained breathing apparatus.

HARP® 290, Propane

Version: CLP03

Date: Jan 2018

Page 3 of 6

6. Accidental release measures

Personal precautions

Wear self-contained breathing apparatus when entering area unless atmosphere is proved to be safe.
Evacuate area.
Ensure adequate air ventilation.
Eliminate ignition sources.

Environmental precautions

Try to stop release.
Prevent from entering sewers, basements and work-pits or any place where its accumulation can be dangerous.

Clean up measures

Ventilate area.

7. Handling and storage

Handling

Take precautionary measures against static discharge.
Suck back of water into the container must be prevented.
Purge air from systems before introducing gas.
Do not allow back-feed into the container.
Use properly specified equipment which is suitable for this product, its supply pressure and temperature. Contact your gas supplier if in doubt.
Keep away from ignition sources (including static discharges).
Refer to suppliers container handling instructions.

Storage

Segregate from oxidant gases and other oxidants in store.
Keep container below 50°C in a well ventilated place.

8. Exposure controls / personal protection

Personal protection

Wear suitable protective clothing, gloves and eye/face protection.
Wear thermal insulating gloves when handling liquefied gases. In cases of insufficient ventilation, where exposure to high concentrations of vapour is possible, suitable respiratory protective equipment with positive air supply should be used.
Do not smoke while handling product.



Eye Protection



Gloves

Occupational exposure limits

Propane : TLV – TWA [ppm] : 2500

SAFETY DATA SHEET

According to Regulation (EC) No.1907/2006

HARP® 290, Propane

Version: CLP03

Date: Jan 2018

Page 4 of 6

9. Physical and chemical properties

Form	Liquefied gas
Physical state at 20°C	Gas
Colour	Colourless
Odour	Sweetish. Poor warning properties at low concentrations.
Molecular weight	44
Solubility in water [mg/l]	75
Boiling point (°C)	-42.1
Melting point (°C)	-188.0
Relative density, gas (air=1)	1.5
Relative density, liquid (water =1)	0.58
Vapour pressure (20°C)	8.3 bar
Flammability range [vol% in air]	1.7 to 9.5
Auto ignition temperature [°C]	470
Other data	Gas/vapour heavier than air. May accumulate in confined spaces, particularly at or below ground level.

10. Stability and reactivity

Hazardous decomposition products	None.
Incompatible materials	Can form explosive mixture with air. May react violently with oxidants. Air, oxidiser.
Conditions to avoid	Keep away from heat, sparks, open flames, hot surfaces. No smoking.

11. Toxicological information

Toxicity information	No known toxicological effects from this product.
-----------------------------	---

12. Ecological information

Ecological effects information	No known ecological damage caused by this product.
---------------------------------------	--

13. Disposal information

General	Do not discharge into areas where there is a risk of forming an explosive mixture with air. Waste gas should be flared through a suitable burner with flashback arrestor. Do not discharge into a place where its accumulation could be dangerous. Contact supplier if guidance is needed.
----------------	---

SAFETY DATA SHEET

According to Regulation (EC) No.1907/2006

HARP® 290, Propane

Version: CLP03

Date: Jan 2018

Page 5 of 6

14. Transport information

UN No. 1978

Labelling ADR, IMDG, IATA

2.1 : flammable gas

Land transport

ADR/RID

H.I.nr

23

UN Proper shipping name

Propane

Transport hazard class(es)

2

-ADR/RID Classification code

2 F

-Packing instruction(s) - General

P200

-Tunnel instructions

B/D Tank carriage: Passage forbidden through tunnels of category B, C, D and E;

Other carriage: Passage forbidden through tunnels of category D and E.

Sea transport

-IMO-IMDG code

Proper shipping name

Propane

Class

2.1

-IMO Packing group

P200

-Emergency schedule (EmS) - Fire

F-D

-Emergency schedule (EmS) - Spillage

S-U

-Instructions – Packing

P200

Air transport

-ICAO/IATA

-Proper shipping name

Propane

Class

2.1

Passenger and cargo aircraft

-

Cargo aircraft only

-Packing instruction

200

Avoid transport on vehicles where the load space is not separated from the drivers compartment.

Ensure vehicle driver is aware of the potential hazards of the load and knows what to do in the event of an accident or emergency.

Before transporting containers:

-Ensure containers are firmly secured.

-Ensure cylinder valve is closed and not leaking

-Ensure valve outlet cap nut or plug (where provided) is correctly fitted.

-Ensure valve protection device (where provided) is correctly fitted.

-Ensure there is adequate ventilation.

-Compliance with applicable regulations.

15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

Ensure all national/local regulations are observed.

SEVESO Regulation 96/82/EC

Listed.

SAFETY DATA SHEET

According to Regulation (EC) No.1907/2006

 HARP
INTERNATIONAL

HARP[®] 290, Propane

Version: CLP03

Date: Jan 2018

Page 6 of 6

16. Other information

Ensure operators understand the flammability hazard.

Contact with liquid may cause burns/frostbite.

The hazard of asphyxiation is often overlooked and must be stressed during operator training.

This data sheet contains changes from the previous version, CLP02 dated January 2018. Section 2 & 3 has been updated.

This datasheet was prepared in accordance with Regulation (EC) No. 1907/2006.

Information in this publication is believed to be accurate and is given in good faith but it is for the user to satisfy itself of the suitability for its own particular purpose. Accordingly, Harp International Limited gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition, statutory or otherwise, is excluded except to the extent that such exclusion is prevented by law.

Harp International Limited is registered in England & Wales No. 02432294. Registered office: Gellihirion Industrial Estate, Pontypridd, Rhondda Cynon Taff, CF37 5SX.