

## HARP® 1270

Revision: 1  
Revision date: November 2020

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Product name	R1270 (Propylene)
REACH registration number	01-2119447103-50
CAS No.	115-07-1
EC No.	204-062-1

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use	Industrial and professional. Refrigerant
Restricted use	Not applicable
Description	Gas

#### 1.3 Details of the supplier of the safety data sheet

Company	Harp International Limited
Address	Gellihirion Industrial Estate Pontypridd Rhondda Cynon Taff CF37 5SX UK
Web	<a href="http://www.harpintl.com">www.harpintl.com</a>
Telephone	+44 (0) 1443 842 255
Fax	+44 (0) 1443 841 805
Email	<a href="mailto:harp@harpintl.com">harp@harpintl.com</a>
Email of competent person	<a href="mailto:safety@harpintl.com">safety@harpintl.com</a>

#### 1.4 Emergency telephone number


Emergency telephone number	+44 (0) 1270 502 891 24 hours
----------------------------	----------------------------------

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

Classification – EC 1272/2008	Flam. Gas 1: H220; Compressed gas: H280
-------------------------------	---

#### 2.2 Label elements

Hazard pictograms	
Signal word	Danger
Hazard statement	H220 – Extremely flammable gas H280 – Contains gas under pressure; may explode if heated
Precautionary statement	P210 – Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P377 – Leaking gas fire: Do not extinguish unless leak can be stopped safely P381 – Eliminate all ignition sources if safe to do so P403 – Store in a well-ventilated place.

#### 2.3 Other hazards

Other hazards	Contact with liquid may cause cold burns/frostbite.
---------------	---

## HARP® 1270

Revision: 1  
Revision date: November 2020

### SECTION 3: Composition/information on ingredients

#### 3.1 Substances

EC 1272/2008

Chemical name	CAS No.	EC No.	REACH registration number	Concentration (%w/w)	Classification
Propylene (R1270)	115-07-1	204-062-1	01-2119447103-50	>99	Flam. Gas 1: H220 Compressed gas: H280

Contains no other components or impurities which will influence the classification of the product

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

Inhalation	Move the exposed person to fresh air
Eye contact	Rinse immediately with plenty of water
Skin contact	Frostbite: treat as thermal burns
Ingestion	Ingestion is not considered a potential route of exposure

#### 4.2 Most important symptoms and effects, both acute and delayed

Inhalation	In high concentrations, may cause asphyxiation. Symptoms may include loss of mobility/consciousness. Victim may not be aware of asphyxiation. In low concentrations, may cause narcotic effects. Symptoms may include dizziness, headache, nausea and loss of co-ordination.
Eye contact	Contact with liquefied gas can cause damage due to evaporative cooling
Skin contact	Contact with liquefied gas can cause damage due to evaporative cooling
Ingestion	Ingestion is not considered a potential route of exposure

#### 4.3 Indication of any immediate medical attention and special treatment needed

Inhalation	Apply artificial respiration if breathing stopped.
Eye contact	Seek medical attention if irritation or symptoms persist
Skin contact	Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.
Ingestion	Ingestion is not considered a potential route of exposure

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

	Carbon dioxide. Dry powder. Water fog. Use water spray or fog to control fire fumes. Do not use a solid water stream.
--	---

#### 5.2 Special hazards arising from the substance or mixture

	Exposure to fire may cause containers to rupture/explode. Incomplete combustion may form carbon monoxide.
--	---

#### 5.3 Advice for firefighters

	<p>Stop leak if safe to do so. Do not extinguish flames at leak because possibility of uncontrolled explosive re-ignition exists. Continue water spray from protected position until container stays cool. Use extinguishants to contain the fire. Isolate the source of the fire or let it burn out. Prevent water used in emergency cases from entering sewers and drainage systems.</p> <p>Use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots and in enclosed spaces, self-contained breathing apparatus.</p>
--	---

## HARP® 1270

Revision: 1  
Revision date: November 2020

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

	Consider the risk of potentially explosive atmospheres. Evacuate personnel to a safe area. Ensure adequate ventilation of the working area. Wear self-contained breathing apparatus when entering area unless atmosphere is proved to be safe. Eliminate all sources of ignition. Vapours are heavier than air. Prevent from entering sewers, basements and workpits, or any place where its accumulation can be dangerous.
--	---

#### 6.2 Environmental precautions

	Prevent further leakage or spillage if safe to do so. Prevent spillage entering a sewer or watercourse, contaminating soil or vegetation. If this is not possible, notify police and appropriate authorities immediately.
--	---

#### 6.3 Methods and material for containment and clean up

	Ventilate the area. Allow to evaporate. Keep area free from ignition sources until any spilled material has evaporated (ground free from frost).
--	--

#### 6.4 Reference to other sections

	See section 8 Exposure controls / personal protection See section 13 Disposal considerations
--	---

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

	Only experienced and properly instructed persons should handle gases under pressure. Use only properly specified equipment which is suitable for this product, its supply pressure and temperature. Take precautionary measures against static discharges. Ensure equipment is adequately earthed. Purge air from system before introducing gas. Assess the risk of potentially explosive atmosphere and the need for explosion-proof equipment. Protect containers from physical damage. Do not drag, roll, slide or drop. Never attempt to repair or modify container valves or safety relief devices. Close container valves after each use and when empty, even if still connected to equipment. Never use direct flame or electrical heating devices to raise the pressure of a container. Do not allow back-feed into the container. Avoid suck back of water, acid and alkalis.
--	--

#### 7.2 Conditions for safe storage, including any incompatibilities

	Segregate from oxidant gases and other oxidants in store. Keep container below 50°C. Keep container in a well-ventilated place. Keep away from sources of ignition – no smoking. Keep away from combustible material. All equipment in storage areas should be compatible with the risk of potentially explosive atmospheres. Containers should not be stored in conditions likely to encourage corrosion.
--	--

#### 7.3 Specific end use(s)

	See section 1.2 Relevant identified uses of the substance or mixture and uses advised against for further information.
--	--

## HARP<sup>®</sup> 1270

Revision: 1  
Revision date: November 2020

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters – exposure limit values

Component	CAS No.	Value type (form of exposure)	Exposure limit values	Source
Propylene	115-07-1		Not listed in EH40	

#### 8.2 Exposure controls

<b>Appropriate engineering controls</b>	Consider work permit system e.g. for maintenance activities. Ensure adequate ventilation of the working area. Product to be handled in a closed system. Systems under pressure should be regularly checked for leaks. Gas detectors should be used when quantities of flammable gases or vapours may be released.
<b>Individual protection measures</b>	Wear protective clothing
<b>Eye/face protection</b>	Safety eyewear, goggles or face-shield to EN166 should be used to avoid exposure to liquid splashes.
<b>Skin &amp; body protection</b>	Protective gloves against cold to EN511. Safety footwear to ISO 20345. Wear flame resistant/retardant clothing. Take precautionary measures against static discharges.
<b>Respiratory protection</b>	Wear suitable respiratory protection equipment when necessary
<b>Thermal hazards</b>	If there is a risk of contact with the liquid, all protective equipment should be suitable for extremely low temperatures.

### SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

<b>Appearance - Physical state</b>	Gas
<b>Appearance - Form</b>	Liquefied gas
<b>Colour</b>	Colourless
<b>Odour</b>	Sweetish. Poor warning properties at low concentrations.
<b>Odour threshold</b>	Odour threshold is subjective and is inadequate to warn of over exposure
<b>pH</b>	Not applicable
<b>Melting point</b>	-185°C
<b>Boiling point / range</b>	-47.7°C
<b>Flash point</b>	Not applicable for gases and gas mixtures
<b>Evaporation rate</b>	Not applicable for gases and gas mixtures
<b>Flammability (solid, gas)</b>	1.8% (V) – 11.2% (V)
<b>Vapour pressure</b>	10.2 bar (20°C)
<b>Relative density, gas</b>	1.5 (air = 1)
<b>Relative density, liquid</b>	0.6 (water = 1)
<b>Solubility(ies)</b>	
<b>Water solubility</b>	384 mg/l
<b>Partition coefficient: n-octanol/water</b>	1.77 log Pow
<b>Auto-ignition temperature</b>	455°C
<b>Decomposition temperature</b>	No data available
<b>Viscosity</b>	
<b>Viscosity, kinematic</b>	No data available
<b>Critical temperature</b>	92.4°C

#### 9.2 Other information

<b>Molecular weight</b>	42 g/mol (C <sub>3</sub> H <sub>6</sub> )
-------------------------	---

## HARP® 1270

Revision: 1  
Revision date: November 2020

### SECTION 10: Stability and reactivity

#### 10.1 Reactivity

	Stable under normal conditions
--	--------------------------------

#### 10.2 Chemical stability

	Stable under normal conditions
--	--------------------------------

#### 10.3 Possibility of hazardous reactions

	Can form a potentially explosive atmosphere in air. May react violently with oxidants.
--	--

#### 10.4 Conditions to avoid

	Keep away from heat and sources of ignition.
--	--

#### 10.5 Incompatible materials

	Air and oxidisers
--	-------------------

#### 10.6 Hazardous decomposition products

	Under normal conditions of storage and use, hazardous decomposition products should not be produced. Incomplete combustion may form carbon monoxide.
--	--

### SECTION 11: Toxicological information

#### 11.1 Information on toxicological effects

<b>Acute toxicity</b>	No known effects from this product
<b>Skin corrosion/irritation</b>	No known effects from this product
<b>Serious eye damage/irritation</b>	No known effects from this product
<b>Respiratory or skin sensitisation</b>	No known effects from this product
<b>Germ cell mutagenicity</b>	No known effects from this product
<b>Carcinogenicity</b>	No known effects from this product
<b>Reproductive toxicity</b>	No known effects from this product
<b>STOT single exposure</b>	No known effects from this product
<b>STOT repeated exposure</b>	No known effects from this product
<b>Aspiration hazard</b>	Not applicable to gases and gas mixtures

### SECTION 12: Ecological information

#### 12.1 Toxicity

	No known ecological damage caused by this product
--	---

#### 12.2 Persistence and degradability

	Readily biodegradable
--	-----------------------

#### 12.3 Bioaccumulative potential

	Accumulation in organisms is not expected
--	---

#### 12.4 Mobility in soil

	Because of its high volatility, unlikely to cause ground or water pollution.
--	--

#### 12.5 Results of PBT and vPvB assessment

	Not classified as PBT or vPvB
--	-------------------------------

#### 12.6 Other adverse effects

	Global warming potential: 2
--	-----------------------------

## HARP® 1270

Revision: 1  
Revision date: November 2020

### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

	Do not discharge into any place where its accumulation could be dangerous. Do not discharge into areas where there is a risk of forming an explosive mixture with air. Waste gas should be flared through a suitable burner with flash back arrestor. Dispose of in accordance with all local and national regulations. Dispose of container via supplier only. EWC code: 16 05 04
--	---

### SECTION 14: Transport information

#### Hazard pictograms

	
--	---

#### 14.1 UN number

	UN 1077
--	---------

#### 14.2 UN proper shipping name

	PROPYLENE
--	-----------

#### 14.3 Transport hazard class(es)

<b>ADR/RID</b>	
Class	2
Labels	2.1
Classification code	2F
Hazard No. (ADR)	23
Tunnel category	(B/D)
Emergency action code	2YE
<b>IMDG</b>	
Class	2.1
EmS No.	F-D, S-U
<b>IATA</b>	
Class	2.1
Packing instruction	-
Cargo	Forbidden
Passenger	Forbidden

#### 14.4 Packing group

	P200
--	------

#### 14.5 Environmental hazards

<b>Environmental hazards</b>	Not applicable
<b>Marine pollutant</b>	Not classified as a marine pollutant

#### 14.6 Special precautions for user

	Avoid transport on vehicles where the load space is not separated from the driver's compartment. Ensure vehicle driver is aware of the potential hazards of the load and knows what to do in the event of an accident or emergency. Ensure container valves are closed, not leaking and caps in place. Ensure containers are firmly secured. Ensure adequate air ventilation. Ensure compliance with applicable regulations.
--	--

#### 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

	Not applicable
--	----------------

## HARP® 1270

Revision: 1  
Revision date: November 2020

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

<b>Regulations</b>	REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.
--------------------	---

#### 15.2 Chemical safety assessment

	A CSA has been carried out
--	----------------------------

### SECTION 16: Other information

#### Other information

<b>Text of Hazard Statements in Section 3</b>	H220: Extremely flammable gas H280: Contains gas under pressure; may explode if heated.
<b>Reference materials</b>	HSE publication EH40/2005 Workplace exposure limits (latest edition)
<b>Changes from previous versions</b>	-

#### Further information

	The information supplied in this safety data sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made of its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the material in the user's end product, if applicable.
--	---